



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Two Interesting Captures in Lincoln Park, Chicago.—On June 12, 1911, Officer C. W. Borggren of Lincoln Park, Chicago, came into my office with a fine specimen of *Cyanocitta stelleri diademata* which he had just shot. The bird was in perfect plumage, with no fraying of the tail or primaries, characteristic of a bird that has been caged. He said that his attention had been called to the bird by the cries of a large number of birds nesting in the park, and he found that the jay had taken all of the young from the nest of a Yellow Warbler, had eaten the heads and dropped the bodies to the ground, and was about to repeat the operation on a nest of young Robins. He shot the bird, which is now in the Museum of the Chicago Academy of Sciences, Lincoln Park.

On September 19, Mr. P. W. Boehm, of Ravinia Park, Illinois, brought in a specimen of the Duck Hawk in the juvenile plumage. The bird had flown into his chicken yard, and had killed and was attempting to carry away a three and one-half pound chicken.

Mr. Kahman, a Chicago taxidermist, reported that on the 21st of September, an Italian had brought him two young female Duck Hawks which, he said, had flown into his yard on the west side of the city, and had killed several of his pigeons. They were so bold that he had no difficulty in killing both of the birds.—FRANK M. WOODRUFF, *Chicago Academy of Sciences, Chicago, Ill.*

Two New Birds for Greenland.—In examining literature relating to the ornithology of Greenland I have found the following recent references to two birds that to my knowledge have not as yet been recorded from that country. These are:

Turdus iliacus Linn. (Petersen, Johan, 'Ornith. Iaktt. fra Angmagsalik i Aarene 1902-08, bearbejdede og sammenstillede af O. Helms,' Dansk Ornith. Foren. Tidsskrift, 3 Aargang, Hæfte 1, Copenhagen, Dec., 1908). In translation the reference reads as follows: "To-day [Oct. 20, 1904], 'Kateketen,' [probably some kind of a pedagogue], and myself each shot one specimen here at the station [Angmagsalik, east coast of Greenland]; they flew from one icefloe to another, near the shore, looking for food. Occasionally they made a little trip inshore, where they no doubt secured sandhoppers and small slugs; they were not very shy." And again, October 31, 1906: "I received to-day a 'Vindrossel' [Danish name for the Redwing] from a Greenlander, who had shot it on the shore." November 3, same year: "A Greenlander saw a strange bird in the course of the day, which he supposed to be a 'Vindrossel.'" Three birds were shot and their skins forwarded to the Museum at Copenhagen. Helms states that this is the first record of *Turdus iliacus* from the east coast of Greenland, while there have been "a couple of mentions from the west coast." These mentions are probably the following: (Winge, Herluf, 'Grønlands Fugle,' Medd. om Grønland, Heft 21, Copenhagen, 1899, p. 283): "The Redwing has been seen a couple of times on the west coast of Greenland.